

4.29 MADISON COUNTY HIGHWAYS

NO. 36	SECTION (S) A	NAME Amity Pike
FROM Junction US #42		TO Junction C-7 (East Pike)
LENGTH 10243 10290		(IN FEET) MILES 1.94 1.95
PAVEMENT TYPE Bit Surf Treated		WIDTH 16' 18' (1996 Northwood)
WIDTH OF R OF W 40'		WIDTH OF BERMS 3
TWP. Canaan MILES 1.94 1.95		TWP. MILES
REMARKS Amity- Dublin Rd		

COUNTY ROAD

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	RR #1	56		Laid out 1836 See Flint Rd
	"	110		1853 " Carry Rd

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1875			34th Rd Milliken Rd Imp. R.I. R#2 pg 128
1951	Tar & #6 stone	County	Surface treated

(SEE OTHER SIDE)

36 11.29 IMPROVEMENTS Cont.

YEAR	TYPE OF	APPLIED BY	REMARKS
1954	Tar & #6 stone	County	Surface treated.
1958	" "	"	" "
1961	RT #9 & "	"	" "
1964	TAR & #6 STONE	"	" "
1967	TAR & #6 STONE	COUNTY	SURFACE TREATED
1970	TAR & #6 STONE	COUNTY	SURFACE TREATED
1973	RS-25 & #8 STONE	COUNTY	SURFACE TREATED
1974	6,234 Gal. RS-25	County	Surface treated - 148.90 Ton Material
1977	7,954 Gal. RS-2	County - V.C.	Surface treated - 250.00 Ton #8 Limestone
1980	163,300 tons #8 5,751 Gal. RS-2	County W.K.W.	Surface treated
1983	607 tons #8 12,605 Gal. RS-2	County	Surface treated (U.S. 42 & Franklin Co. Line)
1986	236.36 Ton #8 7,545 Gal. RS-2	COUNTY A.M. - W.K.W.	SURFACE TREATED - (U.S. 42 TO C.R. 7)
1996	402 asphalt	Northwood	Widen & pave Leveling Course 1,434.72 Ton
"	404 asphalt	"	Pave Finish Course 901.93 Ton
"	617 Limestone	"	Berm 445.6 Ton

MADISON COUNTY HIGHWAYS

NO. <u>36</u>	SECTION (S) <u>13</u>	NAME <u>Amity Pike</u>
FROM <u>Junction C-7 (East Pike)</u> TO <u>Franklin Co line</u>		
LENGTH <u>13306 12355</u> (IN FEET) MILES <u>2.52 2.34</u>		
PAVEMENT TYPE <u>Bit Surf Treated</u> WIDTH <u>20</u>		
WIDTH OF R OF W <u>50'</u> WIDTH OF BERMS <u>3</u>		
FEET <u>13306</u> FEET <u>13306</u>		
TWP. <u>Canon</u> MILES <u>2.52</u> TWP. <u>Canon</u> MILES <u>2.52</u> TWP. <u></u> MILES <u></u>		
REMARKS <u>COUNTY ROAD</u> <u>2.34</u>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
				See Sect. A
	Com. J.	VOLE	175	Impr 1875 3 1/4 Rd Impr.

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1951	Tar & 6 stone	County	Surface Treated
1956	Asph & 6 stone	"	"



IMPROVEMENTS Cont.

[illegible]