

MADISON COUNTY HIGHWAYS

2.14

NO. <u>68</u>	SECTION (S)	NAME <u>Bragg</u>
Twp. Road	FROM <u>Junction SR #323</u>	TO <u>Fayette Co Line</u>
	LENGTH <u>11194</u>	(IN FEET) MILES <u>2.14</u>
	PAVEMENT TYPE <u>Gravel</u>	WIDTH <u>16</u>
	WIDTH OF R OF W <u>40'</u>	WIDTH OF BERMS <u>3</u>
	TWP <u>Range</u> FEET <u>11194</u> MILES <u>2.14</u>	TWP. FEET. MILES
REMARKS <u>TOWNSHIP ROAD</u>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
<u>1958</u>		<u>County</u>	<u>Birms & ditches cut from SR 323 to O'Day - Harrison Rd.</u>

(SEE OTHER SIDE)

IMPROVEMENTS Cont.

68 2.14

YEAR	TYPE OF	APPLIED BY	REMARKS
1959	Black top	County	Roadway built up. Road planned and sealed with MC5 & "46 stone from SR 323 to CR 18. Birms & ditches put from CR 18 to Fay Co. line
1960	MC5 & #6 STONE	COUNTY	SURFACE SEALED FROM SR 323 TO JCT G18 O'DAY HARRISON RD. (1.22 mi.)
1962	Tar & #6 stone	County	Entire road sealed
1965	MC5 & #6 STONE	COUNTY	SURFACE TREATED
1968	Tar & #6 stone	County	Surface treated
1971	R.52 & #8 stone	County	Surface treated
1974	3,100 Gal. R52	County	Surface treated (C.R. 18 to CO LINE) 99.95 tons #8 gravel
1975	600 GAL. R52	WANEAMPA COUNTY	SURFACE TREATED (CURVE TO FAY. CO. LINE) 23.85 tons #8 GRAVEL
1976	3,713 Gal. R52	COUNTY	166.55 tons #8 Gravel - (SR 323 to C.R. 18) 3.5
1977	3,400 Gal. R52	County - V.C.	123.75 tons #8 Gravel - (C.R. 18 to Fay. Co. line)
1978	7,400 GAL. R52	HENSLEY	SURFACE TREATED - ALL -
1981	192.00 TON #8 6,434 GAL. R52	W.K.W. & COUNTY	SURFACE TREATED - ALL
1984	350 TON #8 6,499 gal. R5-2	Koch - W.K.W.	Surface Treated
1987	13500 TONS #8 4,500 GAL. R52	COUNTY & CENTRAL OIL	SURFACE TREATED (C.R. 18 TO CO. LINE)

MADISON COUNTY HIGHWAYS

2.14

NO. 68	SECTION (S)	NAME BRAGG ROAD
FROM _____ TO _____		
LENGTH _____ (IN FEET) MILES _____		
PAVEMENT TYPE _____ WIDTH _____		
WIDTH OF R OF W _____ WIDTH OF BERMS _____		
FEET _____ FEET _____ FEET _____		
TWP. _____ MILES _____ TWP. _____ MILES _____ TWP. _____ MILES _____		
REMARKS _____		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1988	^{H8} CRSP - LIMESTONE TERRY MATERIAL		3,200 GAL. CRSP - 110.00 TONS H8 - (ANGLIAN)
			SURFACE TREATED - (C.R. 18 TO FAY. CO. LINE)



IMPROVEMENTS Cont.

[illegible]