

MADISON COUNTY HIGHWAYS

NO. <u>19</u>	SECTION (S)	NAME <u>Crawford Rd</u>
FROM <u>SR#38</u> TO <u>junction of E-8</u>		
LENGTH <u>13036</u> (IN FEET) MILES <u>2.48</u>		
PAVEMENT TYPE <u>Gravel & stone</u> WIDTH <u>18'</u> <u>16'</u>		
WIDTH OF R OF W <u>40'</u> WIDTH OF BERMS <u>3</u>		
FEET <u>13036</u> FEET _____ FEET _____		
TWP <u>Range</u> MILES <u>2.48</u> TWP. _____ MILES _____ TWP. _____ MILES _____		
REMARKS <u>TOWNSHIP ROAD</u>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	<u>RR#1</u>		<u>292-313</u>	<u>Laid out 1892 See Crawford Rd</u>

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
<u>1955</u>	<u>Bit. Surf. treated</u>	<u>County</u>	<u>Roadbed built by D-46 stone Rd primed and sealed with 46 stone - Birms cut.</u>

TR-19

IMPROVEMENTS Cont.

YEAR	TYPE OF	APPLIED BY	REMARKS
1957	Tar & #6 stone	County	Surface treated with Tar & #6 stone.
1959	" "	"	" "
MAY 1960	T-35	"	BROKEN PARTS OF ROAD REPAIRED AND SPOT TREATED.
1962	MC-5 & #6 Stone	"	Surface treated.
1965	MC-5 & #6 STONE	"	surface treated.
1968	Tar & #6 stone	County	Surface treated.
1972	RS-2 & #8 stone	County	Surface treated.
1974	8,274 Gal. RS2	County	Surface treated - 272.50 ton #8 gravel.
1977	8596 Gal. RS2	County - v.c.	Surface treated - 304.05 ton #8 gravel.
1979	7,950 GAL. RS2	HENSLEY	SURFACE TREATED - 280. TON #8
1982	8,994 gal. RS2	Buckeye County	Surface Treated (A.R. #38 to C.R. #8)
1985	RS2 & #8 STONE	KOCK & NORTHWOOD COUNTY +	5,167 GAL. RS2 - 290.00 TON #8 - LIMESTONE
1987	760.00 TONS #8 8,800 GAL. RS2	CENTRAL OIL	SURFACE TREATED
1988	CRS-2P LIMESTONE	FERRY MATERIAL	9,310 GAL. CRS-2P. 760.00 TONS #8 - LIMESTONE
1991	999.91 gals CRS2P	County	Surface treated
2000	CRS2P #8 Stone	County	chip + seal 8,761 total gal. 325 tons.

Card #2

2009 TO
MADISON COUNTY HIGHWAYS

NO. TR 19	SECTION (S)	NAME Crawford Rd
FROM SR #38 TO Junction of CR-8		
LENGTH 13036 (IN FEET) MILES 2.48		
PAVEMENT TYPE Chip & Seal WIDTH 18'		
WIDTH OF R OF W 40' WIDTH OF BERMS 3		
FEET 13036 FEET FEET		
TWP. Range MILES 2.48 TWP. MILES TWP. MILES		
REMARKS Township Road		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	RR #1		297-313	Laid out 1892 See Crawford Rd.

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
2009	CRS-2P / #8 limestone county Road crew		Chip & Seal Resurface 7421 Gal / 374 Ton
2015	CRS-2P & #8	11	8944 Gal - 385 Ton #8 stone

