IMPROVED	Dorn Ro MADISON CO. F	THE COLUMB	US BLANK BOOK MFG. CO., COL., O. 5908
Township RANGE	<i>No.</i> <b>76</b>		Sec
-	•	Shipp	oing Point
Class of Traffic ME	DIUM		Distance
Built by	Date	***************************************	Price \$
Surveyed by			•
BRICK  Kind of foundation	Mixture  Material {	SLAG—LIMESTONE  Filler  Bottom  Thickness Center  Binder  Size  Top Course  Filler  Size  Binder  Binder, Method  Width  Crown  Cu. yds. Mat	WidthCrownCu. yds. Mat.
Total length 1.09 Distance C. to C. Ditch No. of stone culverts No. of C. I. P. Depth of Ditches	miles. Distance berm No. of steel beautiful No. concrete No. of cor. p	ridges	Width of R. W. 40' No. Con. bridges

## INSPECTION OF IMPROVED ROADS.

Date of Yumanation		- *		معني ج	ŀ
Date of Inspection BRICK					
Condition of brick				ge s <del>e</del>	<u> </u>
Condition of filler					
Condition of curb					
CONCRETE	•	•		•	
Condition of concrete		-			
Condition of surface	-				
SLAG—LIMESTONE	•			•	
Condition of foundation					<u> </u>
Condition of top			<u> </u>		<u> </u>
Does top need to be scarified			<u> </u>		<u> </u>
Are there ruts in road		· · · · · · · · · · · · · · · · · · ·	1 .		1
GRAVEL	•	,			
Condition of surface	· · · · · · · · · · · · · · · · · · ·		<u> </u>		
Is road ruted					_
GENERAL	-		,		
Condition of ditches					1
Condition of berms					<u> </u>
. L. A ranging ac la 121 01 than 1	Nat good 197:		4	· .	