

MADISON COUNTY HIGHWAYS

NO. <u>66</u>	SECTION (S)	NAME <u>Dyer</u>	<u>4.04</u>
Twp. Road	FROM <u>Junction SR #56</u>	TO <u>Junction C-9 (Yanketown Pike)</u>	
	LENGTH <u>20803</u>	(IN FEET) MILES <u>4.04</u>	
	PAVEMENT TYPE <u>Bit Surf. Treated</u>	WIDTH <u>16</u>	
	WIDTH OF R OF W <u>40</u>	WIDTH OF BERMS <u>3</u>	
	^{46%} FEET <u>9768</u>	^{54%} FEET <u>11035</u>	FEET
	TWP <u>Range</u> MILES <u>1.85</u>	TWP <u>Pleasant</u> MILES <u>2.19</u>	TWP MILES
REMARKS <u>TOWNSHIP</u>			

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	<u>RR #1</u>		<u>277-295</u>	<u>Laid out 1892</u>

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
<u>1953</u>	<u>Blacktopped</u>	<u>County</u>	<u>Roadbed built up to 8" stabilized by Cal. Chl.</u> <u>Primed and sealed with #46 Stone.</u>



TR#66

4.04

IMPROVEMENTS Cont.

608

YEAR	TYPE OF	APPLIED BY	REMARKS
1958	MC 30 #6 stone	County	Spot sealed
1958	RS #2 #6 stone	"	Surface treated
1959		Ohio Bridge Co	New Low huss bridge over Bradford Run installed by Ohio Bridge & Co (66-7)
"		County	Box culvert # 66-5 re built parapets removed and guardrails installed
1962	Tar & #6 stone	County	Surface treated
1965	T-32	State	
1969	MS 2 #6 stone	County	Surface treated
1972	#8 stone RS-2	County	Surface treated
1975	15,495 GAL-RS-2	VAN CAMP & COUNTY	SURFACE TREATED- 510.80 TONS #8 GRAVEL
1978	7,300 GAL-RS-2-pleasant 6,250 GAL-RS-2-RANGE 327 tons #8	HEASLEY Buckeye County	SURFACE TREATED- 558.00 TONS #8 GRAVEL
1982	6,705 gals. RS-2 247.00 tons #8	County	Surface treated (C.K. #9 to Turp line)
1986	6,998 GAL-RS-2 253.25 tons #8	KOCH & WKK County	SURFACE TREATED - (PLEASANT TWP.)
1986	6,438 GAL-RS-2	KOCH & WKK	SURFACE TREATED - (RANGE TWP.)
1990	7952.41 gal. liquid asphalt 296 tons #8	County	Surface treated (Pleasant Twp)
1990	7377.1 gals. liquid asphalt 276 tons #8	County	Surface treated (Range Twp)

MADISON COUNTY HIGHWAYS

#2

NO. <u>66</u>	SECTION (S)	NAME <u>Dyer</u>
Twp. Rd.	FROM <u>Junction SR. 56</u>	TO <u>Junction C.R. 9 (Yankeetown Pike)</u>
	LENGTH <u>20803</u>	(IN FEET) MILES <u>4.04</u>
	PAVEMENT TYPE <u>Bit. Surf. Treated</u>	WIDTH <u>16</u>
	WIDTH OF R OF W <u>40</u>	WIDTH OF BERMS <u>3</u>
	FEET <u>9768</u>	FEET <u>11035</u>
	TWP. <u>Range</u> MILES <u>4.85</u>	TWP. <u>Pleasant</u> MILES <u>2.10</u>
REMARKS <u>Township Road</u>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1995	CRS2R #8 Stone	County Road Crew	3,400.71 Dal. - 122 Ton Chip Seal 4' Edge Range
1995	" "	" "	4,500 Dal - 162 Ton " " Pleasant

IMPROVEMENTS Cont.

[illegible]