IMPROVED	Grego Mi MADISON CO. R		US BLANK BOOK MFG. CO., COL., O. 5908						
Township OAK Run	No		Sec						
Shipping Point									
Class of Traffic LIGH	<u> </u>	Distance							
Built by	Date		Price \$						
Surveyed by .			,						
BRICK	CONCRETE	SLAG-LIMESTONE	GRAVEL						
Kind of foundation	Thickness	Bottom { Filler	Thickness						
Thickness of foundation	Kind of Cement	Binder	:: Width						
Make of brick	Mixture	Size Center Center Edge	Crown						
Crown	Material (Gmvel		Cu. yas. Mat						
Cushion	Width	(Biuder							
FillerKind of curb	Crown	Binder, Method							
Size of curbX	1	Width	-						
[] yds brick	•1 • •• •	Crown							
Cu. yds of base		Cu. yds. Mat							
GENERAL .									
Total length \.20	miles. Distance berm	to berm	Width of R. W						
Distance C. to C. Ditch			•						
No. of stone culverts	No. concrete								
No. of C. I. P.	No. of cor. pipe		Total excavation						
Depth of Ditches		een changed	Location on R. W:						
•	•								

INSPECTION OF IMPROVED ROADS.

Date of Inspection		•	10° 436		•	·
BRICK						
Condition of brick				-		
Condition of filler	•					
Condition of curb		<u> </u>				<u>.</u>
CONCRETE -				1		
Condition of concrete		<u> </u>		 	·	
Condition of surface						<u> </u>
SLAG—LIMESTONE	,					
Condition of foundation				 		
Condition of top			<u> </u>			<u> </u>
Does top need to be scarified						<u> </u>
Are there ruts in road		 		<u> </u>	<u> </u>	<u> </u>
GRAVEL						
Condition of surface	· -	·		<u> </u>	<u> </u>	
is road ruted			<u> </u>		<u> </u>	
GENERAL					-	
Condition of ditches		····				<u> </u>
Condition of berms			<u> </u>			
) M - 1	3.5				. •