GWYNNE ROAD THE COLUMBUS BLANK BOOK MFG. CO., COL., O. 5908 IMPROVED MADISON CO. ROAD RECORD							
Township Somereo	NoNONN	<u> </u>	Sec.				
Shipping Point							
Class of Traffic		•	Distance				
Built by	Date	}	Price \$				
Surveyed by			•				
BRICK Kind of foundation Thickness of foundation Make of brick Width Crown Cushion Filler Kind of curb Size of curb L yds brick Cu. yds of base	CONCRETE Thickness Kind of Cement Mixture Material {Sing Stone} Width Crown Kind of expansion joints} Cu. yds. concrete	SLAG-LIMESTONE Filler	WidthCrownCu. yds. Mat				
Total length \.80 Distance C. to C. Ditch No. of stone culverts No. of C. I. P. Depth of Ditches	No. of steel by	ERAL, to berm ridges culverts ipe een changed	Width of R. W No. Con. bridges No. of wood bridges Total excavation Location on R. W				

INSPECTION OF IMPROVED ROADS.

十一~リン

Date of Inspection		4:		ر موس و " به ر	
BRICK					
Condition of brick		<u> </u>			
Condition of filler					
Condition of curb					
CONCRETE					
Condition of concrete	<u> </u>				
Condition of surface					
SLAG—LIMESTONE					
Condition of foundation					· ···
Condition of top					· · · · · · · · · · · · · · · · · · ·
Does top need to be scarified		<u> </u>			
Are there ruts in road				 -	
GRAVEL		•			
Condition of surface					<u> </u>
Is road ruted		<u> </u>			
GENERAL				🖈 १०व्हेन	
Condition of ditches					<u> </u>
Condition of berms					<u> </u>
Laid out 1843 Gwynne Road" Rd. R.	ec. No. 1, page 74				