| O'Day-Harrison Road THE COLUMBUS BLANK BOOK MEG. CO., COL., O. 5908 IMPROVED MADISON CO. ROAD RECORD Township Pleasant Range No. 18 - C Sec. A | | | | | |
|--|--|---|--------------------------------|---|--|
| 10wnsnipLEASAN_I | | | | Sec Ding Point | |
| Class of Traffic | HEAVY | n man merupapapapapapapapapapapapapapapapapapapa | | Distance | |
| Built by | | Date | 1889 ' | Price \$ | |
| Surveyed by Wm. Reede | • | | | | |
| BRICK Kind of foundation Thickness of foundation Make of brick Width Crown Cushion Filler Kind of curb Size of curb L yds brick Cu. yds of base | Thickness Kind of Cement Mixture Material {Gravel} Stone} Width Crown Kind of | } | SLAG—LIMESTONE Filler | Width 12' Crown 6" Cu. yds. Mat. 2347 p.mi. | |
| Total length 5.80 Distance C. to C. Ditch No. of stone culverts No. of C. I. P. Depth of Ditches | | No. of steel br No. concrete No. of cor. pi | to berm 122' idges culverts pe | Width of R. W. 40' No. Con. bridges No. of wood bridges Total excavation Location on R. W. Center | |

INSPECTION OF IMPROVED ROADS.

| | | \ \ \ \ | | · | ŀ |
|--|----------------------|---------|----------|---|----------|
| Date of Inspection | | - | <u> </u> | | <u> </u> |
| BRICK | | | | | |
| Condition of brick | | | | | |
| Condition of filler | | | | | |
| Condition of curb | • | | | · | · |
| CONCRETE | | | | | |
| Condition of concrete | | | | | |
| Condition of surface | | | | | |
| SLAG-LIMESTONE | , | | , | | |
| Condition of foundation | • | | | | |
| Condition of top | · | | | | |
| Does top need to be scarified | | _ | | | |
| Are there ruts in road | | | | | |
| GRAVEL, | | | | | |
| Condition of surface | | | | | |
| Is road ruted | | | | | |
| GENERAL | | | | - | |
| Condition of ditches | | | | | |
| Condition of berms | | | | | |
| | | | <u> </u> | | } |
| Ref. Laid Out Improved 1889. See'D'Day Rd." P.d. Imp. R | ec. No. 2. 600 2 137 | | | | |
| millete teer received and the second title | | | | | |

| IMPROVED Township RANGE | O'Day-Harri Madison co. R No18 | ROAD RECORD | US BLANK BOOK MFG. CO., COL., O. 5908 |
|---|---|---------------------|---|
| · · · · · · · · · · · · · · · · · · · | EAVY | | Distance |
| Built by | Date | | Price \$ |
| Surveyed by | | | |
| Thickness of foundation Make of brick Width Crown Cushion Filler Kind of curb Size of curb X yds brick | Mixture Material { Gravel Slag Stone Width Crown Kind of expansion joints} | Top Course Filler | Thickness Width Crown Cu. yds. Mat |
| Total length O. 80 Distance C. to C. Ditch No. of stone culverts No. of C. I. P. Depth of Ditches | No. of steel bring No. concrete of No. of cor. pi | ridges I culverts I | Width of R. W No. Con. bridges No. of wood bridges Total excavation Location on R. W. |

INSPECTION OF IMPROVED ROADS.

| BRICK Condition of brick Condition of filler. Condition of curb CONCRETE Condition of concrete Condition of surface SLAG—LIMESTONE Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches Condition of berms | Date of Inspection | | | | |
|--|-------------------------------|----------|----------------------|----------|----------|
| Condition of filler Condition of curb CONCRETE Condition of concrete Condition of surface SLAG—LIMESTONE Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | BRICK | | | | |
| Condition of curb CONCRETE Condition of concrete Condition of surface SLAG—LIMESTONE Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL, Condition of surface Is road ruted GENERAL, Condition of ditches | Condition of brick | | | · ` | <u> </u> |
| Condition of curb CONCRETE Condition of concrete Condition of surface SI,AG—LIMESTONE Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL, Condition of surface Is road ruted GENERAL, Condition of ditches | Condition of filler | · | | | <u> </u> |
| Condition of concrete Condition of surface SLAG—LIMESTONE Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | Condition of curb | | | | |
| Condition of surface SLAG—LIMESTONE Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL, Condition of surface Is road ruted GENERAL, Condition of ditches | CONCRETE | | | | |
| SLAG—LIMESTONE Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | Condition of concrete | | | | |
| Condition of foundation Condition of top Does top need to be scarified Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | Condition of surface | | | | |
| Condition of top Does top need to be scarified Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | SLAG-LIMESTONE | | | | |
| Does top need to be scarified Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | Condition of foundation | | | | |
| Are there ruts in road GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | Condition of top | | | | |
| GRAVEL Condition of surface Is road ruted GENERAL Condition of ditches | Does top need to be scarified | | i - · | | |
| Condition of surface Is road ruted GENERAL Condition of ditches | Are there ruts in road | | | , | |
| Is road ruted GENERAL Condition of ditches | GRAVEL, | | | | |
| GENERAL Condition of ditches | Condition of surface | | | | |
| Condition of ditches | Is road ruted | | | | |
| Condition of ditches | GENERAL | | | ٠., | |
| Condition of berms | Condition of ditches | | | <u> </u> | |
| | Condition of berms | | | • | |
| | | <u> </u> | | | <u> </u> |