IMPROVED	Taylor - Blair MADISON CO. F	ROAD RECORD	US BLANK BOOK MFG. CO., COL., O. 5908	
Township JEFFERSON	\ No\\ <b>4</b> :	No. \\\ \A-C \\ \Sec. \\ \A \\ \Shipping Point \\\ \\ \\ \\ \ \ \ \ \ \ \ \ \ \ \ \		
Class of Traffic	Heavy	***************************************	Distance	
Built by	Date	1867 -1868	Price \$ 109\3 **	
Surveyed by J. S. Burnt	lam			
BRICK Kind of foundation Thickness of foundation Make of brick Width Crown Cushion Filler Kind of curb Size of curb L  yds brick Cu. yds of base	CONCRETE Thickness Kind of Cement Mixture Material {Sing Stone Width Crown Kind of expansion joints} Cu. yds. concrete	SLAG-LIMESTONE    Size	Width 12' Crown 8" Cu. yds, Mat:	
Total length  Distance C. to C. Ditch  No. of stone culverts  No. of C. I. P.  Depth of Ditches  No. Vit. Pipa	No. of steel by No. concrete No. of cor. p	ridges	Width of R. W. 50?  No. Con. bridges  No. of wood bridges  Total excavation  Location on R. W. Center	

## INSPECTION OF IMPROVED ROADS.

Date of Inspection

BRICK

Condition of brick		· · · · · · · · · · · · · · · · · · ·			
Condition of filler					
Condition of curb		<u>-</u> ,			
CONCRETE Condition of concrete					
Condition of surface					
SLAG-LIMESTONE			,		
Condition of foundation		•			
Condition of top					1
Does top need to be scarified		·	,		<u> </u>
Are there ruts in road		·	1		<u> </u>
GRAVEL,					
Condition of surface	<u> </u>	·	<u> </u>	<u> </u>	<u> </u>
Is road ruted		· · · · · · · · · · · · · · · · · · ·		<u> </u>	<u> </u>
GENERAL Condition of ditches					
Condition of berms		<del></del>			1
Ref. Laid out 1846, See Jacob Coons Road" 1866 - "Baker Road" Road" Altered 1860 See Burnham" Road	R.Rec. Ho.I, page 87 Ld Rec. Ho.I, 162 Rec. Ho.I, page 231	Improved 1867	& 1868 See"Blan	- Mill Road Com.	J.Vol.C p2008.20

Taylor - Blair Ro  IMPROVED MADISON CO. ROAD  Township JEFFERSON MONROE No. 14-C  Class of Traffic HEAVY			ROAD RECORD  Shipp	Sec. B.  Je. No. 5 to Je. No. 241  Shipping Point		
	<del></del>			Distance		
Surveyed by H. Alder		Dule	1874	Price \$		
BRICK	CONCR Thickness Kind of Cement_ Mixture Material { Slar Stone Width Crown Kind of expansion joints Cu. yds. concrete	}	SLAG—LIMESTONE    Filler	Width 13' Crown 6" Cu. yds, Mat.		
Total length  Distance C. to C. Ditch  No. of stone culverts  No. of C. I. P.  Depth of Ditches  No. Vit. Pipe		No. of steel br. No. concrete of No. of cor. pi	to berm24`culvertsipe	Width of R. W. 50' No. Con. bridges No. of wood bridges Total excavation Location on R. W. Canter		

## INSPECTION OF IMPROVED ROADS.

Date of Inspection		<u> </u>		ļ	<u> </u>
BRICK					
Condition of brick			ļ <u>.</u>		
Condition of filler					
Condition of curb			-		
CONCRETE	·				
Condition of concrete					
Condition of surface					
SLAG-LIMESTONE					
Condition of foundation					
Condition of top					
Does top need to be scarified					
Are there ruts in road					<u> </u>
GRAVEL					
Condition of surface					
Is road ruted			•		
GENERAL					
Condition of ditches					
Condition of berms					
,					

Ref. - Laid out 1866. See Baker Road" Rd. Rec. Ho. 1, page 162 Improved 1874 See Taylor Rd. Imp. "Com. J. Vol. D. page \$13, Vol. Ep 30