

MADISON COUNTY HIGHWAYS

NO. <u>9</u>	SECTION(S) <u>A</u>	NAME <u>Yan ketown - Chenoweth</u>
FROM <u>Junction E-8 (below Newport)</u> TO <u>Junction of SR #323 at Chenoweth</u>		
LENGTH <u>47309.47626</u> (IN FEET) MILES <u>8.96 9.02</u>		
PAVEMENT TYPE <u>Bit. Surf. treated</u> WIDTH <u>20</u>		
WIDTH OF R OF W <u>50'</u> WIDTH OF BERMS <u>4 ave</u>		
TWP. <u>Paint</u> FEET <u>4552.92</u> MILES <u>4.55</u>	TWP. <u>Union</u> FEET <u>110</u> MILES <u>1.10</u>	TWP. <u>Cokkon</u> FEET <u>45</u> MILES <u>1.15</u>
REMARKS <u>COUNTY ROAD</u> <u>Range Feet - 8.90 Miles - 6.10</u>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	RR #1		pg 19	Laid out 1819 Lingham Rd
	" 1		" 34	Altered 1832 Houseman Alteration

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
1869			Harrison Rd. Imp. Com. J. Vol C pg 450 & 514
			RR #1-29 Com. J D-507 E-1

IMPROVEMENTS Cont.

YEAR	TYPE OF	APPLIED BY	REMARKS
1953	Tar & 6 stone	County	Surface treated to SR #323
1954	" "	"	" " from SR-323 to Fay. Co line
1956	T-35	Fenton Crust Co.	Road surfaced with approx 2" of T-35-16. Under Cost 57509 ⁰⁰ with Federal Aid. Previous to this 4 new bridges and 2 culverts were completed.
1964	SR 2 & 6 stone	COUNTY	SURFACE TREATED
1965	Reclamite	County	
1970	404	LAN CAMP	DANVILLE PIKE TO S.R. 323 - 12,292.85 - 20'
1987	1539.6 TONS HS 52,546 GAL RS2	COUNTY & CENTRAL OIL	SURFACE TREAT-(ALL)
1989	77,234 liquid asphalt 1186 gal CRS-2P/1008-49	County	Double surfaced from C.R. 8 to SR 323
1999	Pave	County Rd Gen	3,926 Tons 404 Asphalt
1999	Berm	ll	851 Tons 4-11 Lime Stone
1999	Paint Stripe	Chem-Trol	Center & Edge Lines
2001	Paved I-2	Northwood	10,103 Ton 404 1 1/4" Lift See A & B
	Bermed		2,995 Ton 617 Berm
	Paint Striped		Arrow Mark Center & Edge

MADISON COUNTY HIGHWAYS

NO. <u>9</u>	SECTION (S) <u>13</u>	NAME <u>Yankee town - Chenoweth</u>
FROM <u>Junction SR #323 - Old Bethel Ch.</u> TO <u>Fayette Co Line</u>		
LENGTH <u>16/57</u> (IN FEET) MILES <u>3.06</u>		
PAVEMENT TYPE <u>Bit. Surf. treated</u> WIDTH <u>16'</u>		
WIDTH OF R OF W <u>50'</u> WIDTH OF BERMS <u>4'</u>		
FEET <u>16551</u> FEET _____		
TWP. <u>Range</u> MILES <u>3.06</u> TWP. _____ MILES _____		
REMARKS <u>COUNTY ROAD</u>		

HISTORY

PETITIONED	ROAD RECORD BOOK	COMM. VOL.	JOURNAL PAGE	REMARKS
	<u>RR #1</u>	<u>D</u>	<u>pg 29</u>	<u>Laid out 1828 Laramore Rd</u>
		<u>D</u>	<u>" 50</u>	<u>1873 Lingen Rd Imp. Com Vol E pg 1</u>

IMPROVEMENTS

YEAR	TYPE OF	APPLIED BY	REMARKS
<u>1953</u>	<u>Tare 6 stone</u>	<u>County</u>	<u>Surface treated</u>
<u>1956</u>		<u>"</u>	<u>Berms cut</u>

IMPROVEMENTS Cont.

[illegible]