

COTTRILL SURVEYING, INC

15882 US Route 62 SE, Mt. Sterling, Ohio 43143, Ph. 740.869.3811, www.cottrillsurveying.com

15.7210 Acre Tract Surveyed for Bergman/Knapke

The following described 15.7210 acre tract is situated in the State of Ohio, Madison County, Fairfield Township and Oak Run Township, VMS 4193, being all of a 15.46 acre tract (Fairfield Township Parcel 07-00252.000, 7.46 acres and Oak Run Township Parcel 13-00062.001, 8.00 acres) conveyed to Dylan William Bergman and Megan Michelle Knapke, Joint Lives by Official Record 348 page 1069, and being more particularly described as follows:

Beginning at a railroad spike found in the centerline of Big Plain-Circleville Road (County Road for, 50 feet right-of-way) at the Northeast corner of a 249.62 acre tract conveyed to Justin R Adams by Official Record 411 page 764 in the Northwest corner of said 15.46 acre tract, said railroad spike bears North 66° 13' 21" West a distance of 155.12 feet and North 57° 00' 51" West a distance of 44.55 feet from a mag nail set in the centerline of a bridge over Deer Creek at the intersection of the centerline of Big Plain-Circleville Road with the line between Fairfield and Oak Run Townships;

Thence, with the centerline of Big Plain-Circleville Road with the following two courses:

- 1) South 57° 00' 51" East a distance of 44.55 feet to a mag nail set;
- 2) South 66° 13' 21" East, passing the Fairfield/Oak Run Township Line at 155.12 feet, a total distance of 294.19 feet to a railroad spike found at the Northwest corner of a 177 original acre tract conveyed to John I Andrix, Trustee;

Thence, around said 177 original acre tract with the following four courses:

- 1) South 03° 38' 19" West, passing an iron pin and cap set at 28.38 feet, a total distance of 766.57 feet to an iron pin and cap set on a levee;
- South 11° 53' 38" West a distance of 551.69 feet to an iron pin and cap set on the east bank of Deer Creek;
- 3) **South 88° 22' 33" West**, passing the centerline of Deer Creek and Fairfield/Oak Run Township Line at 34.88 feet, a total distance of **276.13 feet** to an iron pin and cap set;
- 4) North 73° 20' 59" West a distance of 340.01 feet to an iron pin and cap set in the East line of said Adams' 249.62 acre tract;

Thence, with the East line of said 249.62 acre tract, **North 18° 37' 04" East**, passing an iron pin and cap set at 1396.51 feet, a total distance of **1433.14 feet** returning to the **Point of Beginning**, containing **15.7210 Acres** more or less, of which 6.8132 acres more or less is in Fairfield Township and 8.9077 acres more or less is in Oak Run Township.

Bearings are based on a GPS observation on July 28, 2023, WGS 1984 Geodetic North.

Subject to and with the benefit of all legal highways, restrictions, easements, limitations, and reservations, of record, if any and to zoning restrictions which have been imposed thereon, if any.

All iron pins set are 5/8-inch diameter rebar with yellow plastic cap stamped "Cottrill Surveying"

This description is based on an actual field survey performed by Nathan L. Cottrill, PS registration #8821 on August 1, 2023.

C υ TRILI Z

Nathan L. Cottrill, PS #8821 (Job #S230713-15.7210)

