2404.2162 SURVEY OF **BOUNDARY SURVEY** PN B06-0-001-00-114-00 (PICKAWAY COUNTY) PICKAWAY COUNTY, OHIO PN B06-0-001-00-112-00 PLEASANT CEMETERY D.B. 68, PG. 115 6.517 AC. MADISON COUNTY, OHIO AND 17-00758.00 (MADISON COUNTY) KNOWN AS N 79°19'00" E 558.48' (C&M) C/L 14400 ERA ROAD LEGEND MOUNT STERLING, OHIO FIRC-FOUND IRON ROD, CAPPED AS NOTED O-FIR-FOUND IRON ROD AS NOTED ●-FIP-FOUND IRON PIPE AS NOTED IN THE STATE OF OHIO, BEING PART OF V.M.S. 464 IN THE ──SIRC-5/8" X 30" SET IRON ROD, CAPPED-"LANDMARK SURVEY" TOWNSHIP OF DARBY, PICKAWAY COUNTY, AND PART OF V.M.S. 464 D-FD/SET DRILL HOLE AS NOTED IN THE TOWNSHIP OF PLEASANT, MADISON COUNTY. M-FD/SET MAG NAIL AS NOTED R-FD/SET RR SPIKE AS NOTED T-FD T-BAR/POST AS NOTED FOUND MONUMENT AS NOTED C-CALCULATED D-DEED M-MEASURED P-PLATTED SUBJECT PARCEL -S-SURVEY AC.-ACRES PICKAWAY COUNTY B/E-BASEMENT ENTRY CLF - CHAIN-LINK FENCE PN B06-0-001-00-114-00 CONC.-CONCRETE LAWRENCE M. ZALIPSKI C/L-CENTERLINE D/W-DRIVEWAY O.R. 647, PG. 897 EP-EDGE OF PAVEMENT GAR.-GARAGE AREA = 173,229.61 S.F. INSTR.-INSTRUMENT O.L.—ORIGINAL LOT O.R.—OFFICIAL RECORD P.N.—PARCEL NUMBER = 3.9768 AC. IN R/W = 14,380.26 S.F. P.O.B.-POINT OF BEGINNING = 0.3301 AC.RES.-RESIDENCE W37000n F 73500 (08M) R/W-RIGHT OF WAY PG.-PAGE S.F.—SQUARE FEET
T.P.O.B.—TRUE POINT OF BEGINNING
WF — WOOD FENCE PICKAWAY COUNTY TOTAL AREA = 190,035.04 S.F. = 4.3626 AC.IN R/W = 21,090.24 S.F. = 0.4842 AC.BASIS OF BEARINGS: THE BEARINGS FOR THIS SURVEY ARE BASED ON THE DEED FOR THE SUBJECT PARCEL, HOLDING THE SPLIT OF THE PAVEMENT TO ESTABLISH THE CENTERLINE OF ERA ROAD AS SHOWN HEREON, WHICH IS BEARING N 31°00'00" E. PN 17-00703.000 **CEMETERY TRUSTEES** NO RECORD FOUND PICKAWAY COUNTY DOCUMENTS USED: **AUDITOR'S BREAKDOWN:** PLAT SHOWING LAND OF PLEASANT TWP. TRUSTEES & BRD. OF COUNTY COMMISSIONERS, 2 STORY B-06-0-001-00-114-00 4.5300 AC. -3.9768 AC. PLEASANT TWP., MADISON CO., OHIO FRAME LESS FROM NEW SURVEY RIGHT-OF-WAY AND TRACK MAP, THE BALTIMORE AND OHIO RAILAOAD COMPANY, V-144.1, PAGE 25, JUNE 30, 1918, REV. APRIL 22, 1986, ON P.O.B. & T.P.O.B. RES. #14400 DECREASED BY NEW SURVEY -0.5532 AC. FILE AT THE PICKAWAY COUNTY ENGINEER'S 0.0000 AC BALANCE 549° 15'W 1254.00' [D] DEEDS AS SHOWN HEREON. PICKAWAY COUNTY AND MADISON COUNTY TAX 2 THIS SURVEY DOES NOT REPRESENT ANY EASEMENTS THAT MAY AFFECT THIS TRACT AND DOES NOT REPRESENT ANY THIS MAP REPRESENTS A BOUNDARY RETRACEMENT SURVEY AND COMFORMS TO THE MINIMUM STANDARD FOR BOUNDARY SURVEYS IN ACCORDANCE WITH THE OHIO ADMINISTRATIVE N 5°10'06" E CODE CHAPTER 4733.37. 2 STORY FRAME I HEREBY CERTIFY THAT THIS SURVEY WAS PREPARED FROM AN ON THE GROUND SURVEY IN APRIL OF 2024 MADE UNDER MY SUPERVISION AND THAT IT AND THE INFORMATION, RES. #14400 COURSES AND DISTANCES AS SHOWN ARE CORRECT TO THE MADISON COUNTY GPS MON. **I** 02-005 SUBJECT PARCEL -MADISON COUNTY PN 17-00758.000 LAWRENCE M. ZALIPSKI **ROBERT** O.R. 321, PG. 262 SCALE: 1"=30' AREA = 16,805.43 S.F. **RUFFING** COUNTY LINE @ 4.08' E OF R/W = 0.3858 AC.8423 IN R/W = 6709.98 S.F. REGISTERED = 0.1541 AC.SS/ONAL MADISON CO. 4.08'(D) PN 17-00095.004 PICKAWAY CO. PN 17-00632-000 UNKNOWN OWNER DREW A. BLACKSTONE PN B0600010012107 LANDMARK DANIELLE BLACKSTONE DREW A. BLACKSTONE NOT ON FILE 690 LAKEVIEW PLAZA BLVD., SUITE A, WORTHINGTON, OH 43805 O.R. 362, PAGE 2696 DANIELLE BLACKSTONE O.R. 770, PAGE 4345 9.332 AC. PHONE: (614) 485-9000 WWW.LANDMARKSURVEY.COM ROBERT RUFFING, P.S. 8423 \_\_ 107.26'(D) GRAPHIC SCALE (In Feet) DATE 5-5-2024 JOB NO. 2404.2162 1 inch = 60' ft.

## LEGAL DESCRIPTION

## for PN B06-0-001-00-114-00 (Pickaway County)

and 17-00758.00 (Madison County)

at

## 14400 Era Road

## Mount Sterling, Ohio

Situated in the State of Ohio, being a part of V.M.S. 464 in the Township of Darby, Pickaway County, and part of V.M.S. 464 in the Township of Pleasant, Madison County, conveyed to Lawrence M. Zalipski (O.R. 647, Page 897 – 4.53 acres (Pickaway County); O.R. 321, Pg. 262 (Madison County), being in all of Auditor's Parcel Numbers B06-0-001-00-114-00 (Pickaway County) and 17-00758.000 (Madison County), bounded and described as follows:

Beginning at a set Mag nail on the centerline of McClimansville Cemetery Road (Madison County) and Era Road (Pickaway County Road  $500 - 60^{\circ}$  R/W) at the county line between Madison and Pickaway Counties, also being the True Point of Beginning of the parcel herein Described in the following 9 courses:

Course 1: Thence along the center line of said Era Road, N 31°00'00" E, 435.00 feet to a set Mag nail at the southwest corner of a Parcel conveyed to Pleasant Cemetery (D.B. 68, Pg. 115);

Course 2: Thence leaving said centerline and along the south line of said Pleasant Cemetery parcel, N 79°19'00" E, passing a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") along the south right of way line at 40.17 feet, a total distance of 558.48 feet to a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") at the northeast corner along the west right of way of the CSX railroad (V-144.1, pg. 25, on file at the Pickaway County Engineers Office, R/W varies), also being the southeast corner of said Pleasant Cemetery parcel;

Course 3: Thence along said CSX north right of way line, S 48°38'56" W, 581.21feet to a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") at an angle point in the right of way;

Course 4: Thence along said CSX north right of way line, S 41°21'04" E, 5.00 feet to a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") at an angle point in the right of way;

Course 5: Thence along said CSX north right of way line, S 48°38'56" W, 345.00 feet to a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") at an angle point in the right of way;

Course 6: Thence along said CSX north right of way line, N 41°21'04" W, 5.00 feet to a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") at an angle point in the right of way;

Course 7: Thence along said CSX north right of way line, S 48°38'56" W, passing into Madison County at 130.00 feet, a total distance of 269.40 feet to a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") at the southwest corner at an angle point in the right of way, also being an interior corner of PN 17-00632-000 (unknown owner, not on file);

Course 8: Thence along the east line of said PN 17-00632-000, N 4°09'58" E, passing a set 5/8" x 30" iron rod, capped ("LANDMARK SURVEYING") at 54.51 feet, a total distance of 120.96 feet to a set Mag nail at the northwest corner along the centerline of McClimansville Cemetery Road, also being the northeast corner of said PN 17-001632-000;

Course 9: Thence along said centerline, N 31°00'00" E, 225.00 feet to the True Point of Beginning, containing a total area of 190,035.04 square feet, or 4.3626 acres, including 21,090.24 square feet, or 0.4842 acres within the right of way, broken down by county as:

Pickaway County: 173,229.61 square feet, or 3.9768 acres, including 14,380.26 square feet, or 0.3301 acres within the right of way.

Madison County: 16,805.43 square feet, or .3858 acres, including 6709.98 square feet, or 0.1541 acres within the right of way, and subject to all legal highways, easements, reservations or restrictions of record, if any.

The intent of this legal description and survey is to retrace and describe this parcel as required by the Pickaway County Engineer in May 19, 2010, per the Ohio Administrative Code Chapter 4733-37, conforming to the minimum standards for boundary surveys.

The basis of bearings for this survey are from the deed for the subject parcel, holding the split of the edge of pavement of Era Road to establish a centerline bearing of N 31°00'00" E.

This legal description is based on an actual field survey performed in April of 2024.

Prepared by Robert M. Ruffing, PS 8423 in May 2024.